

TeleEye pictureMAX Solution



TeleEye bandwidthMAX Solution



TeleEye timeMAX Solution



TeleEye

**MQ2200 Series
HD Network Cameras**

Common Features :

mq

HD 1080p H.265 ONVIF Profile S

- * 1080p, H.265 & Enhanced H.264
- * 1/2.8" 2MP Starlight CMOS sensor
- * 4 Privacy Masks
- * IP66 weather proof
- * Power over Ethernet, PoE
- * True day / night operation
- * ONVIF Profile S

TeleEye

**MP2100 Series
HD Network Cameras**

Common Features :

mp

WQHD H.265 ONVIF Profile S

- * 1080p, H.264
- * 1/2.7" 2MP CMOS sensor, 25/30fps
- * 3 independent video streams
- * IP66 weather proof
- * Power over Ethernet, PoE
- * True day / night operation
- * ONVIF Profile S

TeleEye

**MP400 Series
HD Network Cameras**

Common Features :

mp

WQHD H.265 ONVIF Profile S

- * WQHD (2560 x 1440 pixels), H.265
- * 1/3.0" 4MP CMOS sensor, 25/30fps
- * 3 independent video streams
- * IP66 weather proof
- * Power over Ethernet, PoE
- * True day / night operation
- * ONVIF Profile S

TeleEye MQ2211E-HD 1080p HD Network Dome Camera

- * 1/2.8" Sony Starlight CMOS sensor
- * H.264 & JPEG Compression,
- * f=2.8mm ~ 12mm
- * Day / Night
- * 0.005 Lux
- * Vandal Resistant
- * ONVIF Profile S
- * PoE, 12V DC



614804US\$ 303.20

TeleEye MP2121E-HD 1080p HD Network Dome Camera

- * 1/3" CMOS sensor
- * Enhanced H.264 Compression,
- * f=3.6mm
- * Day / Night
- * 0.0 Lux (IR On)
- * ~15m IR Range
- * WDR, IP66, * Vandal Resistant
- * ONVIF Profile S
- * PoE, 12V DC



614817Discontinued

TeleEye MP421E-HD WQHD Network Dome Camera

- * WQHD (2560x1440) Network Dome Camera
- * 1/3" CMOS sensor
- * Enhanced H.264 Compression,
- * f=3.6mm
- * Day / Night
- * 0.0 Lux (IR On)
- * ~15m IR Range
- * WDR, IP66, Vandal Resistant
- * ONVIF Profile S
- * PoE, 12V DC



614822US\$ 199.10

TeleEye MQ2225E-HD 1080p HD Network Dome Camera

- * 1/2.8" Sony Starlight CMOS sensor
- * 1080p HD Network Dome Camera,
- * H.264 & JPEG Compression,
- * f=2.8mm ~ 12mm
- * Day / Night
- * 0.0 Lux (IR On) ~20m IR Range
- * IP66, Vandal Resistant
- * ONVIF Profile S
- * PoE, 12V DC



614805US\$ 262.70

TeleEye MP2125E-HD 1080p HD Network Dome Camera

- * 1/3" CMOS sensor
- * Enhanced H.264 Compression,
- * f=2.8mm~12mm
- * Day / Night
- * 0.0 Lux (IR On)
- * ~20m IR Range
- * WDR, IP66, * Vandal Resistant
- * ONVIF Profile S
- * PoE, 12V DC



614818US\$ 232.30

TeleEye MP425E-HD WQHD Network Dome Camera

- * WQHD (2560x1440) Network Dome Camera
- * 1/3" CMOS sensor
- * Enhanced H.264 Compression,
- * f=2.8-8mm
- * Day / Night
- * 0.0 Lux (IR On)
- * ~20m IR Range
- * WDR, IP66, Vandal Resistant
- * ONVIF Profile S
- * PoE, 12V DC



614823US\$ 271.70

TeleEye MQ2277E-HD 1080p HD Network Bullet Camera

- * 1/2.8" Sony Starlight CMOS sensor
- * H.264 & JPEG Compression
- * AutoFocus, Motorized
- * f=2.8mm ~ 8mm
- * Day / Night
- * 0.0 Lux (IR On)
- * ~20m IR Range
- * IP66, ONVIF Profile S
- * PoE, 12V DC



614806US\$ 272.80

**GN Series
WQHD Digital Video Recorders**



TeleEye MP451E-HD WQHD Network Bullet Dome

- * WQHD (2560x1440) Network Bullet Camera
- * 1/3" CMOS sensor
- * Enhanced H.264 Compression,
- * f=2.8-12mm
- * Day / Night
- * 0.0 Lux (IR On)
- * ~30m IR Range
- * WDR, IP66, Vandal Resistant
- * ONVIF Profile S
- * PoE, 12V DC



614824US\$ 199.10

TeleEye

**FP Series
Analogue Pinhole Camera**

Common Features :

PF

700 TVL PAL NTSC

- * 1/3.2" Sony WDR Starlight CMOS
- * Colour : 820TVL, 1280H
- * Powerful WDR (75dB)
- * f=2.5mm Pinhole lens (View Angle: 88 degree)

TeleEye GN6916 WQHD Digital Video Recorders

- * WQHD (2560 x 1440)
- * Dedicated Network,
- * Enhanced H.264,
- * Video Port
- * Max. Recording Rate 400fps
- * D.R.T
- * Per/Post Alarm Images
- * Securing ONVIF Camers



614830US\$ 1,315.90

TeleEye MP475E-HD WQHD Network Bullet Dome

- * WQHD (2560x1440) Network Dome Camera
- * 1/3" CMOS sensor
- * Enhanced H.264 Compression,
- * f=2.8-12mm
- * Day / Night
- * 0.0 Lux (IR On)
- * ~30m IR Range
- * WDR, IP66, Vandal Resistant
- * ONVIF Profile S
- * PoE, 12V DC



614825US\$ 271.70

TeleEye PF183Z Analogue Pinhole Camera

- * 1/3.2" Sony HWDR 1280H StarLight CMOS sensor
- * Pinhole, f=2.5mm
- * Resolution : 820TV Line (Color)
- * Min. illumination
- * 0.05Lux (B/W)
- * 12V DC



614811US\$ 93.30

TeleEye GN6608 WQHD Digital Video Recorders

- * WQHD (2560 x 1440)
- * Dedicated Network,
- * Enhanced H.264,
- * 8 PoE Video Port
- * Max. Recording Rate 200fps
- * D.R.T
- * Per/Post Alarm Images
- * Securing ONVIF Camers



614831US\$ 708.80

TeleEye DM665 Professional Hi-Resolution IR Speed Dome

- * 1/4" CCD
- * 396X zoom ; Optical : 33X, Digital : 12X
- * Resolution : 550 (Day) / 680 (Night) TVL
- * 255 presets, 6 patrols, 4 patterns
- * IR Distance: 100m
- * IP66 weather proof standard
- * OSD menu
- * Wiper



611506US\$ 818.40

Optional Accessories

3G-WIFI Mobile Router

611417US\$ 140.10

TP-Link NR4G 3G/4G LTE Router

614832US\$ 228.60

TP-Link NS16POEGP 16-port 10/ 100M POE plus 2-port 10/ 100/ 1000M Network Switch

614833US\$ 346.50

TeleEye GN6516 WQHD Digital Video Recorders

- * WQHD (2560 x 1440)
- * Shared Network,
- * Enhanced H.264,
- * Max. Recording Rate 400fps
- * D.R.T
- * Per/Post Alarm Images
- * Securing ONVIF Camers



614832US\$ 364.10

Optional Accessories for DM665

TeleEye DM6-PL Pole Mount Bracket

611510US\$ 43.10

TeleEye DM6-CN Corner Mount Bracket

611511US\$ 43.10

TeleEye DM-KB05 DM Keyboard with Joystick

611512US\$ 243.30

TeleEye Analogue HD 1080p Cameras



TeleEye AHD Network Solution



TeleEye Analogue HD Solutions consist of the AF Series of bullet and dome cameras with full HD 1080p resolution (1280 x 1080 pixels). TeleEye AH Series comprise of bullets and domes cameras, generating video quality at HD 720p resolution (1280 x 720 pixels).

Based on TeleEye's Analogue HD technology, the TeleEye AHD cameras can transmit video signal through a coaxial cable up to 400 meters' long which allow users to monitor a much greater distance.



TeleEye AF294 1080p IR Dome Camera

- * 1080p AHD IR Dome
- * 1/ 2.8" SONY CMOS Sensor
- * Wide Dynamic Range
- * Vari-focal f=3.6mm
- * Day / Night 0.0 Lux (IR On)
- * 24 IR LEDs / ~ 15m IR Range
- * 4 Privacy Masks
- * IP66 Weather Proof Standard
- * Video Coaxial or UTP Distance up to 400m
- * OSD Menu



611478 AF294-1080pUS\$ 59.90

TeleEye AF286 1080p IR Vandal Resistant Dome Camera

- * 1080p AHD IR Vandal Resistant Dome Camera
- * 1/ 2.8" SONY CMOS Sensor
- * Wide Dynamic Range
- * Vari-focal f=2.8-12mm
- * Day / Night 0.0 Lux (IR On)
- * 18 IR LEDs / ~ 15m IR Range
- * 4 Privacy Masks
- * IP66 Weather Proof Standard
- * Video Coaxial or UTP Distance up to 400m
- * OSD Menu



611479 AF286-1080pUS\$ 87.60

TeleEye AF284 1080p IR Water-proof Bullet Camera

- * 1080p AHD IR Water-proof Bullet Camera
- * 1/ 2.8" SONY CMOS Sensor
- * Wide Dynamic Range
- * Fixed lens f=3.6mm
- * Day / Night 0.0 Lux (IR On)
- * 2 IR LEDs / ~ 20m IR Range
- * 4 Privacy Masks
- * IP66 Weather Proof Standard
- * Video Coaxial or UTP Distance up to 400m
- * OSD Menu



611480 AF284-1080pUS\$ 70.10

TeleEye AF287 1080p IR Water-proof Bullet Camera

- * 1080p AHD IR Water-proof Bullet Camera
- * 1/ 2.8" SONY CMOS Sensor
- * Wide Dynamic Range
- * Vari-focal f=2.8-12mm
- * Day / Night 0.0 Lux (IR On)
- * 2 IR LEDs / ~ 30m IR Range
- * 4 Privacy Masks
- * IP66 Weather Proof Standard
- * Video Coaxial or UTP Distance up to 400m
- * OSD Menu



611481 AF287-1080pUS\$ 81.10

TeleEye AF487M 1080p IR Water-proof Bullet Camera

- * 1080p AHD IR Water-proof Bullet Camera
- * 1/ 2.8" SONY CMOS Sensor
- * Wide Dynamic Range
- * Vari-focal f=6-22mm
- * Day / Night 0.0 Lux (IR On)
- * 2 IR LEDs / ~ 50m IR Range
- * 4 Privacy Masks
- * IP66 Weather Proof Standard
- * Video Coaxial or UTP Distance up to 400m
- * OSD Menu



611482 AF487M-1080pUS\$ 113.40

TeleEye AF42M 1080p IR Long Range Camera

- * 1080p AHD IR Long Range Bullet Camera
- * 1/ 2.8" SONY CMOS Sensor
- * Wide Dynamic Range
- * Vari-focal f=6-22mm
- * Day / Night 0.0 Lux (IR On)
- * 100m IR Range
- * 4 Privacy Masks
- * IP66 Weather Proof Standard
- * Video Coaxial or UTP Distance up to 400m
- * OSD Menu



611483 AF42M-1080pUS\$ 147.50

TeleEye RX Series Recorder



TeleEye RX800 series

Professional Ultra-high Resolution Digital Video Recorders

TeleEye RX800 Series is a range of 6-, 12- & 16-channel ultra high resolution digital video recorders designed for professional video and event management applications. With its state-of-the-art video compression engine supporting dual compression algorithms, it delivers both video streaming and recording performances with truly "no compromise" approach.



TeleEye RX800 series

Professional Ultra-high Resolution Digital Video Recorders

- # 611436 **TeleEye RX806 : 6-Channel**
Max. Recording Rate 150 / 180fps, 4 Internal SATA, BS 8418 CompliantUS\$1,003.70
- # 611437 **TeleEye RX812 : 12-Channel**
Max. Recording Rate 300 / 360fps, 4 Internal SATA, BS 8418 Compliant\$1,409.20
- # 611438 **TeleEye RX816 : 16-Channel**
Max. Recording Rate 400 / 480fps, 4 Internal SATA, BS 8418 Compliant\$1,814.70

Optional Accessories for RX Series Recorders

19" Rack Mounting Bracket for GX and RX Series Recorder

- # 611408 **TeleEye GX-BKT**\$ 50.70

RX-ALM Alarm Break-Out Box for RX Digital Video Recorders

- # 611442 **TeleEye RX-ALM**\$ 20.60

LTV-8A Video Loop-through Cables for RX800 / JN300X Series

- # 611444 **TeleEye LTV-8A (Channels 1-8)**\$ 17.30
- # 611445 **TeleEye LTV-8A (Channels 9-16)**\$ 17.30

Optional Accessories for RX Series Recorders

AIC-16 16-Channel Audio Cable for RX800 Series

- # 611443 **TeleEye AIC-16**\$ 21.90

Gigabyte PoE Switch for RX800 Series Video Recorder

- # 611412 **NS04P 4-Port**\$ 103.20
- # 611413 **NS08P 8-Port**\$ 261.00
- # 611414 **NS016P 16-Port**\$ 508.80
- # 611415 **NS024SP 24-Port**\$1,089.80



UniFi G3 Series 2MP Outdoor Bullet Camera

- * 1920 x 1080 Resolution at 30 fps
- * IR LEDs for Night Vision
- * Mechanical IR Cut for True Day/Night
- * 3.6mm Fixed Lens with f/1.8 Aperture
- * 85° / 72° Horizontal FOV
- * Built-In Microphone for Audio
- * Multiple Image Settings
- * Ethernet Port with PoE Technology
- * Wall / Ceiling / Pole Ball-Joint Mount
- * Can Be Installed Outdoors



615620 **UVC-G3**US\$ 173.30

UniFi G3 Series 1080p Dome Camera

- * 1920 x 1080 Resolution at 30 fps
- * IR LEDs for Night Vision
- * Mechanical IR Cut for True Day/Night
- * 2.8mm Fixed Lens with f/2.0 Aperture
- * 100.4° / 87.8° Horizontal FOV
- * Built-In Microphone for Audio
- * H.264 Video Compression
- * Multiple Image Settings
- * Ethernet Port with PoE Technology
- * Wall or Ceiling Mounted



615621 **UVC-G3-Dome**US\$ 173.30

TeleEye CCTV Application & Software

TeleEye Video Management Applications and Accessories



--- SureSIGHT --- SureGUARD --- iView HD --- siteMAP ---

TeleEye sureSIGHT Integrated Video Management Platform

- # 611543 TeleEye sureSIGHT Business Standalone Integrated Video Management SoftwareUS\$ 385.30
- # 611544 TeleEye sureSIGHT Pro Unlimited-site Integrated Video Management Software\$ 486.60

- # 611545 TeleEye SMAP Sitemap Management Module\$ 294.00

- # 611546 TeleEye SSTSC End to End Site Check Module\$ 201.80

- # 611547 TeleEye SMTX Digital Video Matrix Module for sureSIGHT Pro\$ 486.60

- # 611548 TeleEye ONVIF-4-SSB 4-Channel ONVIF Camera Module for sureSIGHT Business\$ 496.80

- # 611549 TeleEye ONVIF-4-SSP 4-Channel ONVIF Camera Module for sureSIGHT Pro\$ 831.30

- # 611550 TeleEye VCA-FA-1-SSB 1-Channel Flow Analysis Module for sureSIGHT Business\$ 307.50

- # 611551 TeleEye VCA-FA-4-SSB 4-Channel Flow Analysis Module for sureSIGHT Business\$ 699.50

- # 611552 TeleEye VCA-IT-1-SSB 1-Channel Intrusion Detection Module for sureSIGHT Business\$ 557.60

- # 611553 TeleEye VCA-IT-4-SSB 4-Channel Intrusion Detection Module for sureSIGHT Business\$ 993.50

- # 611554 TeleEye VCA-LT-1-SSB 1-Channel Loitering Detection Module for sureSIGHT Business\$ 557.60

- # 611555 TeleEye VCA-LT-4-SSB 4-Channel Loitering Detection Module for sureSIGHT Business\$ 993.50

- # 611556 TeleEye VCA-UM-1-SSB 1-Channel Unattended / Missing Object Detection Module for sureSIGHT Business\$ 557.60

- # 611557 TeleEye VCA-UM-4-SSB 4-Channel Unattended / Missing Object Detection Module for sureSIGHT Business\$ 993.50

TeleEye sureGUARD Video Management Centre Solution

- # 611561 TeleEye CMD-030 CMS 30-site License\$ 404.60
- # 611562 TeleEye CMD-100 CMS 100-site License\$1,012.90
- # 611563 TeleEye CMD-200 CMS 200-site License\$1,510.60

- # 611564 TeleEye CMS3-SM siteMAP Management Module\$ 303.20

- # 611565 TeleEye CMS3-SC End to End Site Check Module\$ 201.80

- # 611566 TeleEye CMS3-RPT Schedule Reporting Module\$ 506.00

- # 611567 TeleEye CMS3-VV Add-on sureGUARD Video Viewer License\$ 201.80

- # 611568 TeleEye CMS3-VS Add-on sureGUARD Video Management Server License\$ 607.40

- # 611569 TeleEye CMS3-AR 8-channel Advance Recording Server Module for sureGUARD\$ 557.60

- # 611570 TeleEye CMS3-100S Add-on License for 100 Sites\$ 708.80

- # 611571 TeleEye CMS3-500S Add-on License for 500 Sites\$2,017.50

- # 611572 TeleEye CMS3-SMTX Digital Video Matrix Module for sureGUARD\$ 486.60

TeleEye sureREC Video Recording Solution

- # 611576 TeleEye sureREC-16V3 16-Channel HD Recording & Viewing SoftwareD\$ 272.80

- # 611577 TeleEye sureREC-32V3 32-Channel HD Recording & Viewing SoftwareD\$ 607.40

- # 611578 TeleEye sureREC-64V3 64-Channel HD Recording & Viewing SoftwareD\$ 804.60

- # 611579 TeleEye ONVIF-4-SRC 4-Channel ONVIF Camera Module for sureREC\$ 496.80

- # 611580 TeleEye VCA-FA-1-SRC 1-Channel Flow Analysis Module for sureREC\$ 414.70

- # 611581 TeleEye VCA-FA-4-SRC 4-Channel Flow Analysis Module for sureREC\$ 698.60